



# Exploring the trends in flux-cored arc welding: scientometric analysis approach

Aleksandra Świerczyńska<sup>1</sup> · Balázs Varbai<sup>2</sup> · Chandan Pandey<sup>3</sup> · Dariusz Fydrych<sup>1</sup>

Received: 9 August 2023 / Accepted: 14 November 2023 / Published online: 5 December 2023  
© The Author(s) 2023

## Abstract

Flux-cored arc welding (FCAW) is a universal group of welding methods in terms of the scope of application and automation possibilities, the share of which in various industries in many countries is still increasing. The paper presents the results of bibliographic analyses (scientometric analysis with the use of VOSviewer, Bibliometrix and CitNetExplorer tools) of a data set of 993 publications indexed in the Web of Science database on the subject of FCAW for all types of flux-cored wires. An objective and unbiased approach to analysis resulted in a relatively neutral assessment of the state of knowledge in the field of FCAW and allowed for the identification of research directions carried out in the world, the dynamics of their changes as well as research gaps and needs. The scientometric analysis approach provided a holistic picture of the development of FCAW over the last 58 years, pointing to the geographical areas where this process has been and is most intensively researched, the agencies funding this research, the most active research teams, as well as the journals that have most often published articles on this topic. The most current research directions in relation to FCAW include underwater welding, hardfacing and cladding purposes, health and safety issues, and more general topic: properties and weldability of ferrous alloys. However, among the most urgent research needs the following topics: fatigue analysis of welded joints, environmental degradation of flux-cored wires, properties and weldability of nickel alloys, development of hybrid and combined welding procedures can be listed.

**Keywords** Flux-cored arc welding · Scientometric analysis · VOSviewer · CitNetExplorer · Web of Science · Bibliometrix

## 1 Introduction

Flux-cored arc welding (FCAW) is a group of arc welding processes that use a consumable, tubular (filled with a flux) electrode with continuous feeding and gas protection of welding pool [1]. In industrial practice, two main types of the processes are used: shielding gas welding (FCAW-G, 136 according to EN ISO 4063:2023 standard classification of welding processes),

which is a modification of gas metal arc welding (GMAW), and self-shielded FCAW (FCAW-S, 114 according to EN ISO 4063:2023 standard classification of welding processes), similar from the metallurgical point of view to welding with covered electrodes (shielded metal arc welding—SMAW) [2, 3]. Although technically similar, both groups of processes have different application fields. Process 136 (rutile and basic cored wires) is often used to make steel and nickel alloy-welded joints as well as for surfacing to ensure corrosion-resistant properties [4, 5]. On the other hand, process 114 found two main directions of development: regeneration and cladding as well as underwater welding and cutting [6–10]. Separate areas of application of flux-cored wires are, for example, cases of their use as consumables for brazing, gas tungsten arc welding (GTAW), laser welding, and additive manufacturing. Cai et al. describe that with the use of Al-Si12 filler wire rotating laser welding-brazing technology was developed to fabricate sound aluminum alloy and steel joint [11]. The work [12] describes the results for a hardfacing layer made by the TIG process using flux-cored wire with pulsed current. This innovative approach allowed to increase the wear resistance of duplex steel substrate. TIG welding with the use of

✉ Aleksandra Świerczyńska  
aleksandra.swierczynska@pg.edu.pl

<sup>1</sup> Institute of Manufacturing and Materials Technology, Faculty of Mechanical Engineering and Ship Technology, Gdańsk University of Technology, Gabriela Narutowicza Street 11/12, 80-233 Gdańsk, Poland

<sup>2</sup> Department of Materials Science and Engineering, Faculty of Mechanical Engineering, Budapest University of Technology and Economics, Muegyetem Rkp. 3, 1111 Budapest, Hungary

<sup>3</sup> Department of Mechanical Engineering, Indian Institute of Technology, Jodhpur N.H. 62, Nagaur Road, Karwar, Jodhpur 342037, India

flux-cored wire was also the subject of research work on improving the worn properties of high-strength titanium alloy intended for the aviation industry [13]. Laser welding of titanium alloys supported by the use of a self-developed flux-cored wire was presented in the article [14]. Based on the results of the morphology and properties of welded joints, the authors concluded that such technology is suitable for high-quality welding of titanium alloy. The aim of the research presented by Pańcikiewicz [2] was to verify the possibility of producing a maraging steel part using the WAAM process with flux-cored wire. The author stated that the proposed procedure allows the production of elements with a martensitic structure and favorable properties, without welding imperfections.

The growing share of FCAW in the welded structures fabrication market results from many advantages, among which the most important are the following: high efficiency, ease of welder training (semi-automatic process), material and technological versatility, high quality of welded joints, as well as the possibility of automation and robotization [15, 16]. The few disadvantages include the need to provide protection against the wind during welding in the open air, good ventilation in closed rooms, and the need to remove slag from welds [17]. It is also necessary to ensure appropriate transport and storage conditions for flux-cored wires by the manufacturers' requirements [18–20]. These features make FCAW a process that effectively displaces and replaces traditional methods: SMAW, GMAW, and SAW (submerged arc welding) in many areas of welded construction production [21, 22].

The key stage in the selection of the appropriate FCAW procedure is the selection of the appropriate consumable electrode. The wires differ in manufacturing technology—there are wires produced with a seam (rolled profile, with no continuous connection between the edges of the tape being wound) and seamless (the tape edges are joined together). Thanks to this, seamless wires are widely used in difficult conditions, with an increased risk of core moisture, while seamed wires are used due to the small thickness of the metallic sheath guaranteeing high current densities during welding [23–25]. In addition, seamless wires are often copper-plated, and wires with the seam usually do not have an additional layer of copper on the surface. The possibility of using a metallic sheath made of many different construction materials and the use of fluxes of various compositions and properties guarantees a wide range of applications and continuous development of the FCAW process [26–28].

Web of Science (WOS) is a classic bibliographic database indexing publications from literature sources verified with strict criteria for reliability and high scientific level. As one of the major bibliographic databases, it is often (next to Scopus, PubMed, and Dimensions) used e.g., by scientists, staff of libraries, and publishing houses for analyses aimed at assessing the publication situation, which facilitates decision-making related to publishing activity [29].

Software VOSviewer developed by van Eck and Waltman is an application with a free license that enables creating, visualizing, and exploring bibliometric networks [30]. VOSviewer offers preparation of three viewing modes: network visualization, network overlay (most often with a time scale), and two types of density visualization. The application can be used to create networks based on given criteria. The distances between the points reflect the strength of relations between them, and the diameter of the circle (node) indicates their number in the examined data set. CitNetExplorer, created by the same authors, can be used to supplement, and significantly extend the possibilities of interpreting the publication citation network [31]. Both applications are recommended by many scientists as excellent tools for scientometric analysis [32, 33]. Bibliometrix is an R programming statistical system package that enables advanced quantitative scientometric analyses along with the visualization of their results [34]. The use of this tool does not require knowledge of programming in R, because analyses can be performed in Biblioshiny, a web-based application [34]. Biblioshiny supports many types of analyses representing both the state of knowledge at a given time: current research landscape as well as research trends, e.g., tabular and graphical summaries of data, principal components analysis, and Sankey charts [34, 35].

Despite the growing share of the FCAW process in various industries, the systematic increase in sales of consumables and publications describing various aspects of the use of flux-cored wires in the world literature, a review article that would summarize the state of knowledge and indicate current research directions has not yet been published. According to data from WOS, six review articles have been published since 1965; however, after verifying the content of these works, it was found that two of them had an incorrectly assigned article type in WOS and in fact, they were standard research papers. At the same time, these works describe issues that only marginally touch the subject of FCAW: hot cracking of duplex steel weldments [36], health and safety during welding [37], welding of railway rails by aluminothermic welding [38], and the effectiveness of the temper bead technique [39]. This justifies conducting a bibliometric analysis of the state of the art of FCAW processes.

The review of FCAW processes was conducted based on scientometric analysis methodology [40]. This unbiased approach, devoid of the authors' subjective view of the content of the publication, is considered the most reliable. In order to ensure an objective analysis of the state of the art, the database of publications should be universal, complete, inclusive, effective, and unprejudiced [41].

In the face of such a situation, the main objectives of this work were as follows: to conduct an objective assessment of the current state of knowledge about FCAW processes as of June 2023 and to identify gaps in research directions in

terms of potential opportunities to use processes based on the use of flux-cored wires. An additional contribution of the content of this article to the scientific community may be an indication of the possibilities of potential cooperation and sources of funding for scientific work. In particular, our work answers the following research question: “What were and are the research trends, and which countries, institutions, scientists, and journals play leading roles in the analyzed field of knowledge?”.

## 2 Scientometric analyses

### 2.1 Methodology

An analysis of world literature that is not limited in time was conducted using the WOS indexing database. To obtain the widest possible collection of literature (articles from reputable journals and conference proceedings) well suited to the subject of the article, the following terms in the search engine were introduced: “flux cored arc welding,” “FCAW,” and “flux cored wire.” As a result, a collection of 1002 publications from the years 1965–2023 was obtained (as of June 16, 2023). This data set was saved and prepared for further analysis: based on the abstracts and keywords, their thematic correctness was verified so that retracted publications and

corrections were removed. Since the main purpose of this work is not a substantive assessment of the content of the analyzed publications, articles in languages other than English were not removed from the collected data set, if the title, abstract, and keywords were translated into English. The distribution of languages in which the considered works were published is presented in Table 1.


Analyses of 993 publications included in the prepared thematic collection, directly related to various applications of flux-cored wires, were carried out using the tools available in WOS, Microsoft Excel, VOSviewer 1.6.19, Biblioshiny 4.1.2, and CitNetExplorer 1.0.0 software. In the case of maps and word cloud charts, online generators from websites were also used: <https://www.jasondavies.com/wordcloud/> and <https://www.datawrapper.de/maps/choropleth-map>. The methodological diagram showing the sequence of research works and the tools used is presented in Fig. 1. Figure 2 shows the range of analyses made in WOS, VOSviewer, Biblioshiny, and CitNetExplorer.

### 2.2 Publication and citation trends


Since 1965, when the first article indexed in WOS was published [42], for 40 years, the number of papers published annually did not exceed 14 (Fig. 3). A significant increase has taken place since 2005, and since then, the number of

**Table 1** The linguistic diversity of works of FCAW processes (acc. to WOS)

Languages	Publications	% of 993
English	909	91.54
Portuguese	40	4.03
Korean	12	1.21
Spanish	11	1.11
Chinese	10	1.01
Russian	5	0.50
Japanese	2	0.20
German	1	0.10
Turkish	1	0.10
Ukrainian	1	0.10
Welsh	1	0.10




**Fig. 2** Methodological diagram of the WOS, VOSviewer, Biblioshiny, and CitNetExplorer analyses carried out



**Fig. 1** Methodological diagram of the research works

**Fig. 3** Publication trends of FCAW processes literature (acc. to WOS). The value for 2023 refers to the state of the platform as of June 16th



**Table 2** Types of publications (acc. to WOS)

Publication type	Publications	% of 993 publications
Article	784	78.85
Proceeding paper	198	19.94
Note	15	1.51
Editorial material	7	0.71
Early access	6	0.60
Review article	6	0.60
Book chapters	2	0.20
Letter	2	0.20
Meeting abstract	2	0.20
Data paper	1	0.10
News item	1	0.10

**Table 3** Publication access types (acc. to WOS)

Open access type	Publications	% of 993 publications
All open access	260	26.18
Gold	205	20.65
Gold-hybrid	15	1.51
Free to read	23	2.32
Green published	87	8.76
Green accepted	10	1.01
Green submitted	37	3.73
Not available	733	73.81

papers published annually has been steadily increasing, reaching over 60 per year in 2016–2022. Almost 79% of these publications are regular research articles, while over 19% are conference proceedings (Table 2). The low number of review papers is striking—there were only six review papers (0.60%); however, as mentioned earlier, it was found that there were only four of them. The share of works from the Data paper group is similarly noticeable—there is only one such paper [43]. It seems that this may be a severe limitation in the possibility of effective application of Data mining techniques for FCAW processes.

Table 3 presents information on the mode of access to the analyzed works. More than 73% of publications do not have an access mode, which suggests that these are works that have been published in a subscription-based model. The topic of open access modes of journals and their detailed characteristics are presented elsewhere [44, 45].


Works from this collection were cited 7522 times in 4754 publications, which gives an average number of citations: 7.58. Treemap charts showing the shares of individual

countries and journals in the citation of works from the analyzed set are shown in Fig. 4a and b. Most citations come from papers written by authors from Asian countries (China, India, South Korea, Iran), North America (USA and Canada), and Europe (Poland, England, and Germany) and published in journals issued by three publishing houses: Springer Nature, MDPI, and Elsevier.

### 2.3 Research areas

Subject areas for FCAW processes were determined in three ways: based on keywords, according to WOS categories, and quantitative analysis of publications terms in titles and abstracts. Figure 5 shows a summary of analyses performed in VOSviewer and word cloud chart. Based on Fig. 5a, it can be concluded that the subject of FCAW processes can be grouped primarily into three main research directions: underwater welding (microstructure, droplet transfer), hard-facing and surfacing (wear phenomena), and various aspects of the performance and quality assessment of welded joints (mechanical properties, diffusible hydrogen, residual stress). The fourth and distinguishing issue is the cluster including mainly health and safety (welding fumes, manganese,

**Fig. 4** Shares of individual countries (a) and journals (b) in the citation of works from the analyzed set of publications (acc. to WOS)



a)



b)


nanoparticles, hexavalent chromium) and stainless steels. Relatively often, the study of the considered process is conducted in comparison with another arc welding process: SMAW, SAW (submerged arc welding), GTAW, or GMAW. This means that the FCAW process can often be considered an alternative to other arc welding methods. Thanks to such comparative studies, it is possible to expand the scope of application of this method. In terms of methodology, the frequent use of modeling with statistical methods (response surface methodology, ANOVA) is noteworthy. An identical network of connections, which, however, takes into account

the topicality of the relationship data is shown in Fig. 5b. Lighter yellow indicates the latest research trends (wear, underwater welding). Similar conclusions can be drawn by analyzing the density map of keywords (Fig. 5c).

The word cloud chart is a modern tool for text analysis—graphical presentation of the frequency of words in texts, also for bibliometric purposes [46, 47]. Using this tool (Fig. 6) allowed for a clear identification of the most popular keywords. The larger the font obtained during the analysis, the more important a given word is in the examined set. They indicate thematic areas clearly related to FCAW.



Fig. 5 Bibliometric analysis of the publications keywords: a keywords network, b keywords network overlay, c keywords density (VOSviewer)








Fig. 7 Bibliometric analysis of the titles and abstracts: **a** network visualization, **b** density visualization (VOSviewer)



**Table 4** Leading sources of FCAW processes literature (acc. to WOS)

Journal title	Publications	% of 993	Citations	Publisher
Welding Journal	86	8.66	622	American Welding Society
Soldagem & Inspeção	43	4.33	104	Associação Brasileira de Soldagem
Journal of Materials Processing Technology	37	3.73	1060	Elsevier
Welding in the World	31	3.12	161	Springer Nature
International Journal of Advanced Manufacturing Technology	28	2.82	331	Springer Nature
Materials	28	2.82	141	MDPI
Journal of Manufacturing Processes	23	2.32	383	Elsevier
Science and Technology of Welding And Joining	21	2.12	247	Taylor and Francis
Journal of Materials Engineering and Performance	19	1.91	126	Springer Nature
Welding Production (English Translation of Sverochnoe Proizvodstvo)	16	1.61	1	Welding Institute, Cambridge
Materials & Design	15	1.51	439	Elsevier
Metals and Materials International	15	1.51	143	Springer Nature
AIP Conference Proceedings	14	1.41	10	AIP Publishing
Metals	13	1.31	50	MDPI
Korean Journal of Metals and Materials	12	1.21	22	The Korean Institute of Metals and Materials
Automatic Welding USSR	10	1.01	0	E.O. Paton Electric Welding Institute
Materials Science and Engineering A: Structural Materials Properties, Microstructure and Processing	10	1.01	151	Elsevier


## 2.5 Authors

Leading authors who have published more than 10 articles on FCAW are summarized in Table 5. The most prolific authors (over 20 articles) are JC Feng, N Guo, V. Balasubramanian, and HW Lee. It should be mentioned that the first two authors cooperate closely in publishing. In Fig. 10, the network of co-authorship among the 325 out of a total of 2134 authors is illustrated. The clustering algorithm divided the authors into six groups (Fig. 10a), while based on the density map, also six clusters of authors can be distinguished, but they are differently connected (Fig. 10c). The same data over time (yellow circles indicate recent work) is shown in Fig. 10b. Clusters basically correspond to the thematic trends indicated earlier, because usually, the authors publish works on one of the mentioned topics.

Leading FCAW documents (in terms of the absolute number of citations) are presented in Table 6. The article authored by Zhang et al. [48], describing the comparison of corrosion resistance of duplex stainless steel joints made with FCAW and GTAW processes, received the most citations (97). This is also one of the articles describing the weldability of steel by comparing FCAW with another welding process. Slightly fewer citations (95) have so far been obtained by a review article on underwater welding [49]. Another paper (91 citations) deals with health and safety issues during welding [50]. A very


important indicator is also the time that the paper is available already, described by citations per year. In this case, the most frequently cited work (16.17 citations per year) is still the publication by Zhang et al. [48], and the next ones are Wang et al. [51] (12.00 citations per year) and Zhang et al. [52] (11.71 citations per year). The citation networks in this set of papers are shown in Fig. 11. It is obvious that the links between these articles indicate numerous citations in subsequent publications.

CitNetExplorer analysis conducted for the entire set of publications (993 works) is shown in Fig. 12. The oldest articles from the analyzed collection were not often cited by subsequent authors of works on this subject. This is completely consistent with the data presented in Fig. 4. It is only since 1997 that chains of citations can be noticed. In order to analyze the citation of papers in more detail, the time range was narrowed down to the years: 1999–2023 (Fig. 13) and 2009–2023 (Fig. 14). The clustering of the works in CitNetExplorer software divided them into 10 groups, among which the most numerous is the blue set (underwater welding). Particularly distinguished are the clusters: brown covering articles on health and safety, and green on hardfacing and wear problems. Works from clusters marked with other colors describe various problems of weldability of materials and quality of welded joints (e.g., diffusible hydrogen issues, properties, and fatigue strength of joints).



**Fig. 8** Bibliometric analysis of sources of FCAW processes literature: **a** sources network, **b** sources network overlay **c** sources density (VOSviewer)

**Fig. 9** Web of Science Core Collection Categories of FCAW processes literature



## 2.6 Countries and organizations

The analysis of Table 7, showing the most effective (over 20 works in the analyzed period) of the 57 countries from which the authors of the publication on FCAW processes come, shows that the first three places are occupied by Asian


**Table 5** Leading authors of FCAW processes literature (WOS)

Authors	Publications	% of 993	Citations
Feng JC	28	2.82	665
Guo N	28	2.82	524
Balasubramanian V	27	2.72	317
Lee HW	24	2.42	267
Murugan N	19	1.91	334
Eremin EN	17	1.71	13
Jia CB	16	1.61	247
Losev AS	16	1.61	11
Wu CS	16	1.61	197
Chen H	15	1.51	196
Guha B	15	1.51	111
Borodikhin SA	14	1.41	4
Du YP	13	1.31	320
Ponomarev IA	13	1.31	2
Reddy GM	12	1.21	266
Shi YH	12	1.21	178
Kozyrev NA	11	1.11	7
Li HL	11	1.11	138
Magudeeswaran G	11	1.11	153
Wang JF	11	1.11	259

countries (China, South Korea, and India), then Brazil and the USA, followed by three European countries: Russia, Ukraine, and Poland. A smaller but significant share is held by Australia, Canada, Germany, England, and Japan. A graphical representation of this situation is shown in Fig. 15a. Bibliographic coupling for 51 out of 57 countries divided into 5 clusters is shown in Fig. 15b–d. The conclusions from the visualization analysis are consistent with the data from Table 7: still significant but a decreasing share of papers from Asian countries and an increasing number of papers from smaller and less developed countries. The interest of scientists in the FCAW method is often strongly related to the needs of local industry. Developing and developed countries, where the shipbuilding, offshore, and construction industries play an important role, are particularly frequently included in the analysis. Industry interest in the FCAW could have directly resulted in research on this method, acquiring research projects and publishing numerous articles on this topic.

The analysis of the organizations to which the authors are affiliated is directly related to the country analysis. As can be seen from Table 8 and Fig. 16, the most frequently mentioned in the field of FCAW as affiliations are Chinese, Ukrainian, Korean, and Indian organizations. The most productive organizations are Harbin Institute of Technology (China), Ministry of Education Science of Ukraine, National Academy of Sciences Ukraine, and Dong-A University (South Korea). Figures 16a and b also show that the publication cooperation between the institutions clearly focuses on four Asian research centers (Korean: Dong-A University and Chinese: Harbin Institute of Technology, Tianjin University,

**Fig. 10** Bibliometric analysis of authors of FCAW processes literature: **a** author network, **b** author network overlay, **c** author density (VOSviewer)





**Table 6** Leading publications of FCAW processes literature (VOSviewer) [48–67]

First author	Title	Journal	Year of publication	Citations	Citations per year
Zhang ZQ	Influence of microstructure and elemental partitioning on pitting corrosion resistance of duplex stainless steel welding joints	Applied Surface Science	2017	97	16.17
Rowe M	Recent developments in underwater wet welding	Science and Technology of Welding and Joining	2001	95	4.32
Lehnert M	Exposure to inhalable, respirable, and ultrafine particles in welding fume	Annals of Occupational Hygiene	2012	91	8.27
Wang YY	Characterization of as-welded microstructure of heat-affected zone in modified 9Cr-1Mo-V-Nb steel weldment	Materials Characterization	2016	84	12.00
Coronado JJ	The effects of welding processes on abrasive wear resistance for hardfacing deposits	Tribology International	2009	84	6.00
Zhang ZQ	Investigation on microstructure evolution and properties of duplex stainless steel joint multi-pass welded by using different methods	Materials & Design	2016	82	11.71
Thibault D	Residual stress and microstructure in welds of 13%Cr-4%Ni martensitic stainless steel	Journal of Materials Processing Technology	2009	82	5.86
Palani PK	Optimization of weld bead geometry for stainless steel claddings deposited by FCAW	Journal of Materials Processing Technology	2007	78	4.88
Kannan T	Effect of flux-cored arc welding process parameters on duplex stainless steel clad quality	Journal of Materials Processing Technology	2006	76	4.47
Katherasan D	Simulation and parameter optimization of flux-cored arc welding using artificial neural network and particle swarm optimization algorithm	Journal of Intelligent Manufacturing	2014	74	8.22
Qi XW	Effects of vanadium additive on structure property and tribological performance of high chromium cast iron hardfacing metal	Surface and Coatings Technology	2011	70	5.83
Jenkins NT	Particle size distribution of gas metal and flux-cored arc welding fumes	Welding Journal	2005	68	3.78
Świerczyńska A	Diffusible hydrogen management in underwater wet self-shielded flux-cored arc welding	International Journal of Hydrogen Energy	2017	66	11.00
Magudeeswaran G	Effect of welding processes and consumables on tensile and impact properties of high-strength quenched and tempered steel joints	Journal of Iron and Steel Research International	2008	60	4.00
Reddy GM	Effect of welding process on the ballistic performance of high-strength low-alloy steel weldments	Journal of Materials Processing Technology	1998	59	2.40
Sun QJ	Microstructure and mechanical properties of ultrasonic-assisted underwater wet welding joints	Materials & Design	2016	57	8.14
Jia CB	Spectroscopic analysis of the arc plasma of underwater wet flux-cored arc welding	Journal of Materials Processing Technology	2013	57	5.70
Zhang Y	Heat input and metal transfer influences on the weld geometry and microstructure during underwater wet FCAW	Journal of Materials Processing Technology	2016	55	7.86

**Table 6** (continued)

First author	Title	Journal	Year of publication	Citations	Citations per year
Magudeeswaran G	Hydrogen-induced cold cracking studies on armor-grade high-strength, quenched and tempered steel weldments	International Journal of Hydrogen Energy	2008	54	3.60
Palani PK	Development of mathematical models for prediction of weld bead geometry in cladding by flux-cored arc welding	International Journal of Advanced Manufacturing Technology	2006	53	3.12

and to a lesser extent: South China University of Technology), which makes detailed analysis difficult. Figure 16c shows an example of network enlargement for the cluster represented by Dong-A University. As can be seen, this part of the network consists of several institutions from South Korea, China, Japan, and the USA.

## 2.7 Funding

The largest number of articles presenting the results obtained within the projects were published by scientists from China and financed from several sources (Table 9). Subsequently, the projects were financed by Russian, Brazilian, and Korean sources. The lack of Indian and American funding agencies in this group is surprising, but this may be since publications from these two countries were published earlier and in WOS grant information indexing began in 2008.

## 3 Summary


The intensive development of the economy and industry would not be possible without the use of advanced welding processes. It is progressing in many directions, and the most important of which are the following: development of new and improvement of traditional consumables, invention of new manufacturing processes, finding new welding procedures improving the weldability of materials and the quality of welded joints [68–73].

The paper presents the results of complementary and unbiased bibliographic analyses of literature on FCAW processes. Nine hundred ninety-three publications from around the world extracted from the Web of Science database were used for the analysis. VOSviewer, CitNetExplorer, Biblioshiny, and other bibliographic tools were used to assess the state of knowledge and research trends and provide an outlook of the future. In addition, the paper presents networks of relations between keywords, scientists, countries, journals, and institutions (universities and national funding centers). This facilitates the search for opportunities for scientific and research cooperation and sources of funding, as well as the development of an academic career in the field of research on FCAW processes.

The publishing history of FCAW processes in WOS-indexed works began in 1965 [42]. Initially, there were only a few publications per year, then their number grew, with a significant increase over the last decade. Citations of these works show a similar development trend (Fig. 3). The vast majority (almost 92%) of the papers were published as English-language articles. Portuguese, Korean, Spanish, and Chinese languages have a relatively large share (more than 1% each). Over 78% of publications are research papers, and almost 20% are proceedings papers. There is a distinct lack of review articles. Although four such articles have been published so far, their content is focused on a very limited range of issues [36–39]. Despite decades of industrial and laboratory experience with FCAW processes, only one paper has been published in a journal specializing in publishing data articles [43]. This is a serious limitation of the possibility of using statistical techniques, including data mining, to optimize production. Despite this, a significant share of research articles is based on statistical and optimization analyses (design of experiment: Taguchi method, Plackett–Burman design, regression analysis) [74–77].

The main historical development trends (analysis of keywords and text mining of titles and abstracts in VOSviewer) are arranged into four research trends: underwater welding, hardfacing, and surfacing, aspects of making and assessing the quality of welded joints as well as health and safety. In both underwater welding and hardfacing, the FCAW process is emerging and gaining popularity. Classic FCAW-G, on the other hand, has reached or even surpassed the level of competitive methods, especially GMAW, in many applications. This is probably the reason for the apparent lack of new developments in the various welding procedures. Recently, the number of publications on health and safety has also decreased [78, 79]. The authors very often choose a methodology based on comparing the process and properties of FCAW joints with other methods, e.g., SMAW, SAW, GTAW, and GMAW [80–82].

Only a small percentage of journals were classified in subject areas outside the group of topics representing various aspects of materials, engineering, and metallurgy. Subject areas in the field of automatic control, physics, and chemistry account for about 18% (Fig. 9). This is due to the



**Fig. 11** Bibliometric analysis of publications of FCAW processes literature: **a** publication network, **b** publication network overlay, **c** publication density (VOSviewer)

fact that the authors most often choose journals in the field of welding technologies and materials science (Table 4).

Despite the fact that the nature of this review does not include a detailed analysis of the content of the publication, based on the results of the citation analysis in CitNetExplorer and VOSviewer, a thematic classification of groups of articles was made. The results of this analysis are consistent with thematic analyses based on word clouds (Fig. 6d) and indicate the most current trends and urgent gaps in the state of knowledge to be filled (Table 10).

Most publishing authors are affiliated with Chinese, Indian, and Korean institutions and conduct research in such

research teams limited to one country. One of the certain reasons is the financing of research on the FCAW process by institutions from these countries. There is a clear lack of broader and consequent international cooperation, although there are exceptions to this rule, such as several publications published in China-Ukraine co-authorship [83, 84].

A summary of the topic trends represented by countries, journals, and author keywords in the form of a Sankey plot (three-field plot made in Biblioshiny application) is shown in Fig. 17. It shows countries' contribution to the relevant journals and their keyword preferences. A higher number of links among factors results in wider connection lines.




Fig. 12 CitNetExplorer visualization of the 100 most frequently cited FCAW publications (1965–2023)




Fig. 13 CitNetExplorer visualization of the 100 most frequently cited FCAW publications (1999–2023)

MOST WIEDZY Downloaded from mostwiedzy.pl






Fig. 14 CitNetExplorer visualization of the 100 most frequently cited FCAW publications (2009–2023)

**Table 7** Leading countries of FCAW processes literature (WOS)


Countries/regions	Publications	% of 993	Citations	Citations per publication
People’s Republic of China	223	22.46	2207	9.9
South Korea	102	10.27	736	7.2
India	100	10.07	1331	13.3
Brazil	92	9.27	344	3.7
USA	77	7.75	675	8.8
Russia	71	7.15	102	1.4
Ukraine	36	3.63	170	4.7
Poland	32	3.22	290	9.1
Australia	25	2.52	346	13.8
Canada	25	2.52	339	13.6
Germany	24	2.42	244	10.2
England	22	2.22	89	4.0
Japan	20	2.01	220	11.0

A detailed analysis of the links in Fig. 17 clearly indicates the current publication trends, among which the following dominate: Chinese authors (the largest group) prefer to publish in the Journal of Materials Processing and Technology, Journal of Manufacturing Processes and Materials. However, scientists from South Korea are particularly keen on Metals and Materials International and the Korean Journal of Metals and Materials. An interesting observation is that

regardless of the frequency of a given keyword, their distribution among individual journals is relatively uniform.


From the analysis of citations of the considered set of publications, authors, and countries, a picture emerges of the FCAW process, which is still in development. In some countries (large and industrially advanced Asian countries, leading Western countries, Brazil, Russia, Ukraine, and Poland), the process is extremely popular [85–93], and in others, it has encountered

**Fig. 15** Bibliometric analysis of countries of FCAW processes literature: **a** world map (<https://www.datawrapper.de/maps/choropleth-map>), **b** country network, **c** country network overlay, **d** country density (VOSviewer)



**Table 8** Leading affiliations of FCAW processes literature (WOS)

Affiliations	Publications	% of 993	Citations
Harbin Institute of Technology	56	5.639	868
Ministry of Education Science of Ukraine	25	2.518	65
National Academy of Sciences Ukraine	25	2.518	118
Dong-A University	22	2.216	253
Shandong University	22	2.216	222
Indian Institute of Technology System Iit System	20	2.014	175
Omsk State Technical University	20	2.014	15
Coimbatore Institute of Technology	19	1.913	261
Paton Electric Welding Institute of Nasu	19	1.913	22
Korea Institute of Industrial Technology Kitech	18	1.813	148
Pusan National University	18	1.813	123
Tianjin University	18	1.813	336
Annamalai University	17	1.712	254
Indian Institute of Technology Iit Madras	17	1.712	154
Jiangsu University of Science Technology	17	1.712	61
Russian Academy Of Sciences	17	1.712	13
Siberian State Ind Univ	17	1.712	12
National Institute of Technology Nit System	16	1.611	238
Universidade Federal De Minas Gerais	16	1.611	68



**Fig. 16** Bibliometric analysis of organizations of FCAW processes literature: **a** organization network, **b** organization density, **c** organization network—enlargement of Dong-A University cluster from **a** (VOSviewer)

barriers to wide entry into the welded construction market. Based on the results presented in this article and the experience from the market, it can be concluded that this process is particularly well adapted to the conditions of the construction industries: marine, offshore, building, heavy civil, mining, and


manufacturing [94–96]. In the production of large-size elements and with an appropriate production volume, the advantages of this method can be fully used, and measurable benefits can be achieved in saving time, materials, and labor, which determine the reduction of the cost of manufacturing welded structures.

**Table 9** Leading funding agencies of FCAW processes literature (WOS)

Funding agencies	Publications	% of 993
National Natural Science Foundation of China	90	9.06
Fundamental Research Funds for the Central Universities	25	2.52
Russian Science Foundation	23	2.32
China Postdoctoral Science Foundation	18	1.81
Conselho Nacional de Desenvolvimento Cientifico e Tecnolico	16	1.61
Coordenacao de Aperfeicoamento de Pessoal de Nivel Superior	15	1.51
National Key Research and Development Program Of China	13	1.31
Shandong Provincial Key Research and Development Plan	13	1.31
Natural Science Foundation of Shandong Province	10	1.01
Natural Sciences and Engineering Research Council of Canada	10	1.01
State Key Development Program for Basic Research of China	10	1.01
National Research Foundation of Korea	9	0.91
Science and Technology Planning Project of Guangdong Province	9	0.91
Dong-A University	8	0.81
Fundacao De Amparo A Pesquisa Do Estado De Minas Gerais Fapemig	8	0.81
Fundamental Research Funds of Shandong University	8	0.81
Ministry of Education Science Technology Mest Republic of Korea	8	0.81
Shandong Provincial Science and Technology Development Plan	8	0.81
China Scholarship Council	6	0.60

**Table 10** Current trends and urgent gaps in the state of knowledge of FCAW processes

Trends	Gaps and needs
<ul style="list-style-type: none"> <li>• Application of FCAW process in underwater welding</li> <li>• Application of FCAW process in repair and maintenance works: hardfacing and cladding</li> <li>• Health and safety of FCAW process</li> <li>• Properties and weldability of ferrous alloys by FCAW process</li> <li>• FCAW process stability and arc metal transfer</li> <li>• The use of various optimization methods and design of experiment to develop statistical predictive models</li> <li>• Temper bead welding research as a method of eliminating post-weld heat treatment</li> </ul>	<ul style="list-style-type: none"> <li>• Development of hybrid and combined welding procedures</li> <li>• Surfacing with the use of FCAW-G</li> <li>• Underwater flux-cored arc cutting</li> <li>• Properties and weldability of nickel alloys</li> <li>• Fatigue analysis of welded joints</li> <li>• Environmental degradation of FCAW welded joints (corrosion, hydrogen embrittlement)</li> <li>• Environmental degradation of flux-cored wires</li> <li>• Health and safety issues of underwater FCAW process</li> <li>• The use of data mining techniques for optimization of FCAW process</li> <li>• Lack of data papers</li> </ul>



**Fig. 17** Sankey diagram of countries, journals, and keywords (Biblioshiny)



Despite its contribution to presenting the state of knowledge about the FCAW process, the work has some limitations. The authors of this work have made every effort to ensure that the presented analysis results are as reliable and credible as possible. The results presented in this article have limitations resulting from several assumptions and other factors, including the following: from established search terms in the Web of Science database, limited scope of indexing of journals in the database, publishing errors when entering bibliographic data into the database. For these reasons, the presented findings may not represent all publications on FCAW. This is caused primarily by great difficulties in creating bibliometric data sets from various databases [34]. This provides a field for additional interpretation of the results of the presented analyses, and the mentioned limitations may constitute the basis for further work on the methodology and scope of bibliographic analyses. Nevertheless, the authors believe that given the study's limitations, it is questionable whether the presented findings and conclusions would be significantly modified.

**Author contribution** AŚ: conceptualization, methodology, formal analysis, writing original draft, writing—review and editing, visualization, project administration, funding acquisition.

BV: conceptualization, methodology, formal analysis, writing original draft, visualization, funding acquisition.

CP: conceptualization, methodology, formal analysis, writing original draft.

DF: conceptualization, methodology, formal analysis, writing original draft, writing—review and editing, visualization, supervision.

**Funding** Parts of this paper have been supported by the National Research, Development and Innovation Office – NKFIH, OTKA PD 138729 (B. Varbai). Parts of this paper have been supported by Gdańsk University of Technology, DEC-18/2021/IDUB/I.3.3 grant under the ARGENTUM TRIGGERING RESEARCH GRANTS—“Excellence Initiative—Research University” (A. Świerczyńska).

## Declarations

**Competing interests** The authors declare no competing interests.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

## References

1. Tippayasam C, Taengwa C, Palomas J, Siripongsakul T, Thaweechai T, Kaewvilai A (2023) Effects of flux-cored arc welding technology on microstructure and wear resistance of Fe-Cr-C hardfacing alloy. *Mater Today Commun* 35:105569
2. Pańcikiewicz K (2021) Preliminary process and microstructure examination of flux-cored wire arc additive manufactured 18Ni-12Co-4Mo-Ti maraging steel. *Materials* 14(21):6725
3. Al-Mendwi KA, Doos QM (2023) Selection of welding process to large scale project on site by QFD and multi criteria methods. *AIP Conference Proceedings* 2651:1
4. Gomes JHF, Costa SC, Paiva AP, Balestrassi PP (2012) Mathematical modeling of weld bead geometry, quality, and productivity for stainless steel claddings deposited by FCAW. *J Mater Eng Perform* 21:1862–1872
5. Alvarães CP, Madalena FCA, Souza LFGD, Jorge JCF, Araújo LS, Mendes MC (2019) Performance of the INCONEL 625 alloy weld overlay obtained by FCAW process. *Matéria (Rio de Janeiro)* 24(1): e-12290
6. Moreno JS, Conde FF, Correa CA, Barbosa LH, da Silva EP, Avila J, ... Pinto HC (2022) Pulsed FCAW of martensitic stainless steels onto mild steel: microstructure, hardness, and residual stresses. *Materials* 15(8):2715
7. Guo N, Zhang X, Fu Y, Luo W, Chen H, He JL (2023) A novel strategy to prevent hydrogen charging via spontaneously molten-slag-covering droplet transfer mode in underwater wet FCAW. *Mater Design* 226:111636
8. Liu S, Ji H, Zhao W, Hu C, Wang J, Li H, ... Lei Y (2022) Evaluation of arc signals, microstructure and mechanical properties in ultrasonic-frequency pulse underwater wet welding process with Q345 steel. *Metals* 12(12):2119
9. Amaral EC, Jácome-Carrascal JL, Moreno-Urbe AM, Bracarense AQ (2021) Influence of the formulation of a flux-cored wire on the microstructure and hardness of welded metal. *J Phys: Conf Ser* 2118(1):012010
10. Parshin S, Levchenko A, Wang P, Maystro A (2021) Mathematical analysis of the influence of the flux-cored wire chemical composition on the electrical parameters and quality in the underwater wet cutting. *Adv Mater Sci* 21(1):77–89
11. Cai C, Xie J, Wang H, Chen H (2022) Welding characteristics and mechanical property of rotating laser welding-brazing of aluminum alloy to steel. *Opt Laser Technol* 151:107989
12. Mutaşcu D, Karancı O, Mitelea I, Crăciunescu CM, Buzdugan D, Uțu ID (2023) Pulsed TIG cladding of a highly carbon-, chromium-, molybdenum-, niobium-, tungsten- and vanadium-alloyed flux-cored wire electrode on duplex stainless steel X2CrNiMoN 22-5-3. *Materials* 16(13):4557
13. Schwab S, Selin R, Voron M (2023) Welding materials for TIG welding, surfacing, and WAAM technology of titanium alloys. *Weld World* 67(4):981–986
14. Wang M, Fang N, Sun L, Wu P, Huang R, Xu K, ... Long W (2023) Study of the microstructure and properties of the butt joint of laser-welded titanium alloy with flux-cored wire. *Metals* 13(2):369
15. Afkari MZ, Hastuty S, Barrinaya MA, Awwaluddin M, Anwar MS, Sunnardianto GK, Mahmuddin F (2023) Analysis of voltage, current density, and welding speed of flux core arc welding on the hardness and micro-structure of high strength low alloy (ASTM A572). *Key Eng Mater* 948:33–39
16. De Paz RR, Famadico GP, Ortiz AMJ, Tanap RCF, Tayactac RG, Ang EB, ... Honra J (2023) Analysis on the industrial applications of flux cored arc welding on an international scale. In 2023 14th International Conference on Mechanical and Intelligent Manufacturing Technologies (ICMIMT) (pp. 135–142). IEEE

17. Fitriyus G, Zulkarnain Z, Istana B, Nasution AK (2023) Comparative study on welding characteristics of FCAW and SMAW welded ASTM A106 Grade B based on ASME standard. AIP Conference Proceedings 2601(1)
18. Świerczyńska A (2019) Effect of storage conditions of rutile flux cored welding wires on properties of welds. *Adv Mater Sci* 19(4):46–56
19. Świerczyńska A, Landowski M (2020) Plasticity of bead-on-plate welds made with the use of stored flux-cored wires for offshore applications. *Materials* 13(17):3888
20. Harwig DD, Longenecker DP, Cruz JH (1999) Effects of welding parameters and electrode atmospheric exposure on the diffusible hydrogen content of gas shielded flux cored arc welds. *Weld J* 78:314–s
21. Dhanistha WL, Pratikno H, Maharani SDP, Satrio D (2023) Comparative analysis of welding mechanical properties FCAW welding joint of A36 and A53. *IOP Conf Ser: Earth Environ Sci* 1198(1):012035
22. Świerczyńska A, Łabanowski J, Michalska J, Fydrych D (2017) Corrosion behavior of hydrogen charged super duplex stainless steel welded joints. *Mater Corros* 68(10):1037–1045
23. Wolski A, Świerczyńska A, Lentka G, Fydrych D (2023) Storage of high-strength steel flux-cored welding wires in urbanized areas. *Int J Precis Eng Manuf-Green Technol* 1–16 (In Press)
24. Bembenek M, Prysyazhnyuk P, Shihab T, Machnik R, Ivanov O, Ropyak L (2022) Microstructure and wear characterization of the Fe-Mo-BC—based hardfacing alloys deposited by flux-cored arc welding. *Materials* 15(14):5074
25. Fydrych D, Świerczyńska A, Tomków J (2014) Diffusible hydrogen control in flux cored arc welding process. *Key Eng Mater* 597:171–178
26. Zhang Z, Craciun S, van der Mee V (2021) All-positional flux cored wire with lower trace element contents and improved ambient temperature toughness for welding P91 steels. *Weld World* 65(10):1859–1869
27. Wang J, Li C, Wang D, Di X (2023) Effect of microalloying with Nb and/or V on the microstructure and mechanical properties of GPa grade deposited metals. *Weld World* 1–16
28. Tenni B, Brochu M, Godin S, Thibault D (2021) Shielding gas and inclusion content effects on impact toughness and tensile properties of 410NiMo steel welds. *Weld J* 100:52–62
29. Singh VK, Singh P, Karmakar M, Leta J, Mayr P (2021) The journal coverage of Web of Science, Scopus and Dimensions: a comparative analysis. *Scientometrics* 126:5113–5142
30. Van Eck NJ, Waltman L (2017) Citation-based clustering of publications using CitNetExplorer and VOSviewer. *Scientometrics* 111:1053–1070
31. Van Eck NJ, Waltman L (2014) CitNetExplorer: A new software tool for analyzing and visualizing citation networks. *J Informet* 8(4):802–823
32. Yan H, Ma M, Wu Y, Fan H, Dong C (2022) Overview and analysis of the text mining applications in the construction industry. *Heliyon* 8(12):e12088
33. Catumba BD, Sales MB, Borges PT, Ribeiro Filho MN, Lopes AAS, de Sousa Rios MA, ... dos Santos JCS (2023) Sustainability and challenges in hydrogen production: an advanced bibliometric analysis. *Int J Hydrogen Energy* 48(22):7975–7992
34. Aria M, Cuccurullo C (2017) bibliometrix: An R-tool for comprehensive science mapping analysis. *J Informet* 11(4):959–975
35. Dzogbewu TC, Amoah N, Jnr SA, Fianko SK, de Beer DJ (2023) Multi-material additive manufacturing of electronics components: a bibliometric analysis. *Results Eng* 19:101318
36. Westin EM (2022) Hot cracking in duplex stainless steel weldments—a review. *Welding World* 66(8):1483–1499
37. Taube F (2013) Manganese in occupational arc welding fumes— aspects on physiochemical properties, with focus on solubility. *Ann Occup Hyg* 57(1):6–25
38. Bajic D, Vladimirovich Kuzmenko G, Samardžić I (2013) Welding of rails with new technology of arc welding. *Metalurgija* 52(3):399–402
39. Aloraier A, Al-Mazrouee A, Price JWH, Shehata T (2010) Weld repair practices without post weld heat treatment for ferritic alloys and their consequences on residual stresses: a review. *Int J Press Vessels Pip* 87(4):127–133
40. Zhang B, Ahmad W, Ahmad A, Aslam F, Joyklad P (2022) A scientometric analysis approach to analyze the present research on recycled aggregate concrete. *J Build Eng* 46:103679
41. Asghar R, Khan MA, Alyousef R, Javed MF, Ali M (2023) Promoting the green construction: scientometric review on the mechanical and structural performance of geopolymer concrete. *Constr Build Mater* 368:130502
42. Lee RH (1965) Flux-cored wire for welding of steel. *Weld J* 44(5):387
43. Lagares ML Jr, Silva GC, Caldeira L (2020) Fusion zone microstructure image dataset of the flux-cored and shielded metal arc welding processes. *Data Brief* 33:106353
44. Pandita R, Singh S (2022) A study of distribution and growth of open access research journals across the world. *Publ Res Q* 38(1):131–149
45. Perianes-Rodríguez A, Olmeda-Gómez C (2019) Effects of journal choice on the visibility of scientific publications: a comparison between subscription-based and full Open Access models. *Scientometrics* 121(3):1737–1752
46. Kulevicz RA, Porfirio GEDO, de Oliveira OS, Zavala Zavala AA, Silva BAD, Constantino M (2020) Influence of sustainability reports on social and environmental issues: bibliometric analysis and the word cloud approach. *Environ Rev* 28(4):380–386
47. de Sousa FDB (2022) A simplified bibliometric mapping and analysis about sustainable polymers. *Mater Today: Proceedings* 49:2025–2033
48. Zhang Z, Jing H, Xu L, Han Y, Zhao L, Zhang J (2017) Influence of microstructure and elemental partitioning on pitting corrosion resistance of duplex stainless steel welding joints. *Appl Surf Sci* 394:297–314
49. Rowe M, Liu S (2001) Recent developments in underwater wet welding. *Sci Technol Weld Joining* 6(6):387–396
50. Lehnert M, Pesch B, Lotz A, Pelzer J, Kendzia B, Gawrych K, ... Weldox Study Group (2012) Exposure to inhalable, respirable, and ultrafine particles in welding fume. *Ann Occup Hyg* 56(5):557–567
51. Wang Y, Kannan R, Li L (2016) Characterization of as-welded microstructure of heat-affected zone in modified 9Cr–1Mo–V–Nb steel weldment. *Mater Charact* 118:225–234
52. Zhang Z, Jing H, Xu L, Han Y, Zhao L (2016) Investigation on microstructure evolution and properties of duplex stainless steel joint multi-pass welded by using different methods. *Mater Des* 109:670–685
53. Coronado JJ, Caicedo HF, Gómez AL (2009) The effects of welding processes on abrasive wear resistance for hardfacing deposits. *Tribol Int* 42(5):745–749
54. Thibault D, Bocher P, Thomas M (2009) Residual stress and microstructure in welds of 13% Cr–4% Ni martensitic stainless steel. *J Mater Process Technol* 209(4):2195–2202
55. Palani PK, Murugan N (2007) Optimization of weld bead geometry for stainless steel claddings deposited by FCAW. *J Mater Process Technol* 190(1–3):291–299
56. Kannan T, Murugan N (2006) Effect of flux cored arc welding process parameters on duplex stainless steel clad quality. *J Mater Process Technol* 176(1–3):230–239
57. Katherasan D, Elias JV, Sathiya P, Haq AN (2014) Simulation and parameter optimization of flux cored arc welding using artificial neural network and particle swarm optimization algorithm. *J Intell Manuf* 25:67–76
58. Qi X, Jia Z, Yang Q, Yang Y (2011) Effects of vanadium additive on structure property and tribological performance of

- high chromium cast iron hardfacing metal. *Surf Coat Technol* 205(23–24):5510–5514
59. Jenkins NT, Pierce WMG, Eagar TW (2005) Particle size distribution of gas metal and flux cored arc welding fumes. *Welding J* 84(10):156–163
  60. Świerczyńska A, Fydrych D, Rogalski G (2017) Diffusible hydrogen management in underwater wet self-shielded flux cored arc welding. *Int J Hydrogen Energy* 42(38):24532–24540
  61. Magudeeswaran G, Balasubramanian V, Reddy GM, Balasubramanian TS (2008) Effect of welding processes and consumables on tensile and impact properties of high strength quenched and tempered steel joints. *J Iron Steel Res Int* 15(6):87–94
  62. Reddy GM, Mohandas T, Papukutty KK (1998) Effect of welding process on the ballistic performance of high-strength low-alloy steel weldments. *J Mater Process Technol* 74(1–3):27–35
  63. Sun QJ, Cheng WQ, Liu YB, Wang JF, Cai CW, Feng JC (2016) Microstructure and mechanical properties of ultrasonic assisted underwater wet welding joints. *Mater Des* 103:63–70
  64. Jia C, Zhang T, Maksimov SY, Yuan X (2013) Spectroscopic analysis of the arc plasma of underwater wet flux-cored arc welding. *J Mater Process Technol* 213(8):1370–1377
  65. Zhang Y, Jia C, Zhao B, Hu J, Wu C (2016) Heat input and metal transfer influences on the weld geometry and microstructure during underwater wet FCAW. *J Mater Process Technol* 238:373–382
  66. Magudeeswaran G, Balasubramanian V, Reddy GM (2008) Hydrogen induced cold cracking studies on armour grade high strength, quenched and tempered steel weldments. *Int J Hydrogen Energy* 33(7):1897–1908
  67. Palani PK, Murugan N (2006) Development of mathematical models for prediction of weld bead geometry in cladding by flux cored arc welding. *Int J Adv Manuf Technol* 30:669–676
  68. Bhoskar A, Kalyankar V, Deshmukh D (2023) Metallurgical characterisation of multi-track Stellite 6 coating on SS316L substrate. *Can Metall Q* 62(4):665–677
  69. Kalyankar V, Bhoskar A (2021) Influence of torch oscillation on the microstructure of Colmonoy 6 overlay deposition on SS304 substrate with PTA welding process. *Metall Res Technol* 118(4):406
  70. Lopes JG, Rocha P, Santana DA, Shen J, Maawad E, Schell N, ... Oliveira JP (2023) Impact of arc-based welding on the microstructure evolution and mechanical properties in newly developed Cr29. 7Co29. 7Ni35. 4Al4Ti1. 2 multi-principal element alloy. *Adv Eng Mater*
  71. Shen J, Agrawal P, Rodrigues TA, Lopes JG, Schell N, He J, ... Oliveira JP (2023) Microstructure evolution and mechanical properties in a gas tungsten arc welded Fe42Mn28Co10Cr15Si5 metastable high entropy alloy. *Mater Sci Eng: A* 867:144722
  72. Kalyankar V, Bhoskar A, Deshmukh D, Patil S (2022) On the performance of metallurgical behaviour of Stellite 6 cladding deposited on SS316L substrate with PTAW process. *Can Metall Q* 61(2):130–144
  73. Shen J, Gonçalves R, Choi YT, Lopes JG, Yang J, Schell N, ... Oliveira JP (2022) Microstructure and mechanical properties of gas metal arc welded CoCrFeMnNi joints using a 410 stainless steel filler metal. *Mater Sci Eng: A* 857:144025
  74. Trembach B, Grin A, Turchanin M, Makarenko N, Markov O, Trembach I (2021) Application of Taguchi method and ANOVA analysis for optimization of process parameters and exothermic addition (CuO-Al) introduction in the core filler during self-shielded flux-cored arc welding. *Int J Adv Manuf Technol* 114(3):1099–1118
  75. Kordas P, Bęczkowski R, Gućwa M, Winczek J (2019) Application of design of experiment to a FCAW process. *MATEC Web Conf* 254:01009
  76. Gribkov EP, Malyhin SO, Hurkovskaya SS, Berezhnaya EV, Merezhko DV (2022) Mathematical modelling, study and computer-aided design of flux-cored wire rolling in round gauges. *Int J Adv Manuf Technol* 119(7–8):4249–4263
  77. Costa PS, Altamirano-Guerrero G, Ochoa-Palacios RM, Resendiz-Flores EO, Guía-Hernández LA, Ramirez-Luna LE (2022) Optimization of welding parameters in underwater wet FCAW on a structural steel using support vector regression and sequential quadratic programming. *Int J Adv Manuf Technol* 121(5–6):4225–4236
  78. Westin EM, McCarrick S, Laundry-Mottiar L, Wei Z, Biesinger MC, Barker I, ... Hedberg YS (2021) New weldable 316L stainless flux-cored wires with reduced Cr (VI) fume emissions: part 1—health aspects of particle composition and release of metals. *Weld World* 65:2319–2337
  79. Vats V, Melton G, Islam M, Krishnan VV (2023) FTIR spectroscopy as a convenient tool for detection and identification of airborne Cr (VI) compounds arising from arc welding fumes. *J Hazard Mater* 448:130862
  80. Pereira DHDM, Pereira DHDM, Rolim TL, Ferreira RAS (2020) Residual stress analysis using CPD method in ASTM A131 AH36 steel multipass welding by SMAW and FCAW processes. *Soldagem Inspeção* 25:e2513
  81. Świerczyńska A, Fydrych D, Landowski M, Rogalski G, Łabanowski J (2020) Hydrogen embrittlement of X2CrNiMo-CuN25-6-3 super duplex stainless steel welded joints under cathodic protection. *Constr Build Mater* 238:117697
  82. Feng C, Su M, Xu L, Zhao L, Han Y (2023) Estimation of fatigue life of welded structures incorporating importance analysis of influence factors: a data-driven approach. *Eng Fract Mech* 281:109103
  83. Yang J, Xu S, Jia C, Han Y, Maksymov S, Wu C (2023) A novel 3D numerical model coupling droplet transfer and arc behaviors for underwater FCAW. *Int J Therm Sci* 184:107906
  84. Guo N, Du Y, Maksimov S, Feng J, Yin Z, Krazhanovskiy D, Fu Y (2018) Study of metal transfer control in underwater wet FCAW using pulsed wire feed method. *Weld World* 62:87–94
  85. Maurya AK, Pandey C, Chhibber R (2021) Dissimilar welding of duplex stainless steel with Ni alloys: a review. *Int J Press Vessels Pip* 192:104439
  86. Nellikode S, Manladan SM, Jo I, Jung SJ, Kim IC, Park H, ... Park YD (2023) Effect of microstructural heterogeneities on variability in low-temperature impact toughness in multi-pass weld metal of 420 MPa offshore engineering steel. *Weld World* 67(7):1679–1693
  87. Winczek J, Gućwa M, Mićian M, Koňár R, Parzych S (2019) The evaluation of the wear mechanism of high-carbon hardfacing layers. *Arch Metall Mater* 64(3):1111–1115
  88. Chen J, Xie W, Liu R, Wei Y (2022) Microstructure and wear resistance of Fe-based hardfacing layer prepared by flux-cored wire feeding MAG welding process. *Weld World* 66(2):175–185
  89. Pessoa ECP, Liu S (2021) The state of the art of underwater wet welding practice: Part I. *Weld J* 100(4):132–141
  90. Balakrishnan M, Leitão C, Craveiro D, Rodrigues DM, Santiago A, da Silva LS, Subramanian C (2022) Post fire tensile properties of S355 J2 structural steel welded connections for construction industrial applications. *Metall Res Technol* 119(5):511
  91. de Sousa JMS, Gil GS, dos Santos Barbosa M, Garcia DN, Lobato MQ, Machado PC (2023) Tribological performance under abrasive wear of Fe-Cr-C+ Nb coating deposited by FCAW process. *Wear* 523:204824
  92. Hariprasath P, Sivaraj P, Balasubramanian V, Pilli S, Sridhar K (2023) Evaluation of high cycle fatigue behavior of flux cored arc welded naval grade DMR249 A grade steel joints for ship hull structures. *Forces Mech* 11:100189
  93. Burger S, Zinke M, Jüttner S (2021) Hot cracking tendency of flux-cored arc welding with flux-cored wires of types Ni 6625. *Weld World* 65:381–392
  94. Rhode M, Nietzke J, Richter T, Mente T, Mayr P, Nitsche A (2023) Hydrogen effect on mechanical properties and cracking of creep-resistant 9% Cr P92 steel and P91 weld metal. *Weld World* 67(1):183–194
  95. Meszaros K, Rana A, Henein H, Dias M (2023) Abrasion resistance and hardness evaluation of FCAW-S hard-facing following elevated temperature exposure. *Wear* 523:204759

96. Braun M, Kahl A, Willems T, Seidel M, Fischer C, Ehlers S (2021) Guidance for material selection based on static and dynamic mechanical properties at sub-zero temperatures. *J Offshore Mech Arct Eng* 143(4):041704

**Publisher's note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.